

CE1000P

BUSINESS ENVIRONMENT SPEAKERS

Technical Specifications

GB

Version 1.0 June 2005



www.behringer.com



BUSINESS ENVIRONMENT SPEAKERS

300-Watt Business Environment Speakers with Repaintable Front

- ▲ Multi-purpose, 2-way loudspeaker for commercial indoor installations such as restaurants, shops, exhibitions, worship houses etc.
- ▲ High power capability (300 W @ 8 Ohm) for ultimate sound pressure levels
- ▲ Powerful 8" woofer and high-resolution driver provide an ultra-linear frequency response
- ▲ Specially designed waveguide horn for high intelligibility and equally distributed sound at any sound level
- ▲ Black wood enclosure with interchangeable and repaintable front to match venue interior (default color dark silver)
- ▲ Ultra-flexible wall-mount brackets included
- ▲ High-quality components and exceptionally rugged construction ensure long life
- ▲ Conceived and designed by BEHRINGER Germany

CE1000P

SPECIFICATIONS

CONNECTORS

Type Spring connectors

SYSTEM SPECIFICATIONS

Power rating (peak program) 300 watts
Impedance 8 Ω
Frequency response 50 Hz to 20 kHz
Sound pressure level 91 dB (1 W/1 m)

COMPONENTS

Tweeter 25 mm titanium
Woofer 8"

DIMENSIONS/WEIGHT

Dimensions (H x W x D) 17 1/2" x 10 2/3" x 8 2/3"
(445 mm x 270 mm x 220 mm)
Weight 22 1/4 lbs. (10.1kg)

GB

BEHRINGER is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated.

Technical specifications and appearance subject to change without notice. The information contained herein is correct at the time of printing. The names of companies, institutions or publications pictured or mentioned and their respective logos are registered trademarks of their respective owners. Their use neither constitutes a claim of the trademarks by BEHRINGER® nor affiliation of the trademark owners with BEHRINGER®. BEHRINGER® accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colours and specification may vary slightly from product. Products are sold through our authorised dealers only. Distributors and dealers are not agents of BEHRINGER® and have absolutely no authority to bind BEHRINGER® by any express or implied undertaking or representation. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of BEHRINGER Spezielle Studioteknik GmbH. BEHRINGER® is a registered trademark.

ALL RIGHTS RESERVED. © 2005 BEHRINGER Spezielle Studioteknik GmbH,
Hanns-Martin-Schleyer-Str. 36-38, 47877 Willich-Münchheide II, Germany.
Tel. +49 2154 9206 0, Fax +49 2154 9206 4903